

LEGENDA

- Disponibile - Available
Disponibile - Vorrätig
- Non disponibile - Not available
Ne pas disponible - Nicht vorrätig
- Disponibile fino ad esaurimento scorte - Available till sold out
Disponibile jusqu'à épuisement du stock - Solange vorrat reicht

CODICI/COLORI CODES/COLORS

Per determinare il codice del prodotto,
sostituire **(X)** con la lettera corrispondente al colore.

In order to define the product code,
replace **(X)** with the letter which corresponds to the colour.

Pour déterminer le code du produit,
remplacer **(X)** avec la lettre qui correspond à la couleur.

Zur Bestimmung des Produktcodes ersetzen Sie **(X)**
durch den Buchstaben, der für die entsprechende Farbe steht.

CLASSIC



CLASSIC PORCELLANATO - CLASSIC ENAMELLED

- **B** Bianco - White - Blanc - Weiss
- **M** Marrone - Brown - Marron - Braun
- **NO** Nero opaco - Matt black - Noir opaque - Mattschwarz

ZINCATO - GALVANISED

- Zincato - Galvanised - Galvanisé - Verzinkt

TUBO FLESSIBILE IN ALLUMINIO - ALUMINIUM FLEXIBLE PIPE

- **B** Bianco - White - Blanc - Weiss
- **M** Marrone - Brown - Marron - Braun
- Alluminio naturale - Natural aluminium
Aluminium naturel - Naturaluminium

Tubi e gomiti porcellanati CLASSIC


in bianco, marrone e nero opaco

Classic white, brown and matt black
vitreous enamelled pipes and elbows


Tubes et coudes émaillés Classic
en blanc, marron et noir mat

Weiß, braun und mattschwarz
emailierte Classic Rohre und Knie

 EN 1856-2 – T450 – N1 – D
V2 – L80035 – O350

 EN 1856-2 – T450 – N1 – D
V2 – L80035 – G450NM

 EN 1856-2 – T600 – N1 – D
V2 – L80035 – O450

 EN 1856-2 – T600 – N1 – D
V2 – L80035 – G450NM



BIANCO
WHITE
BLANC
WEISS



MARRONE
BROWN
MARRON
BRAUN



NERO OPACO
MATT BLACK
NOIR MAT
MATTSCHWARZ



CLASSIC

Classics

Zincato

Flessibile
alluminio

I tubi smaltati SAVE sono prodotti con lamiera di acciaio rivestita con smalto porcellanato tramite un procedimento che prevede la cottura del pezzo a ben 830°C. Lo smalto porcellanato rende questo tubo preferibile ad ogni altro per alcune caratteristiche:

- resistenza alle più alte temperature di esercizio: T600, la classe più alta secondo la EN 1856-2
- resistenza allo sbalzo termico
- resistenza alla corrosione da condensa certificata dal superamento del test V2 che li rende idonei all'utilizzo con qualsiasi tipo di combustibile: solido, liquido e gassoso
- resistenza all'abrasione e agli agenti chimici: sono lavabili con qualsiasi solvente o prodotto per la pulizia.
- tenuta ai gas della combustione (tiraggio naturale)
- qualità estetica: i colori non si alterano con l'uso o con le alte temperature

CAMPO DI APPLICAZIONE
APPARECCHI E STUFE A: LEGNA - CARBONE - GAS
GASOLIO - KEROSENE

Tutti i prodotti sono muniti di codice a barre Sistema EAN 13, il codice a barre viene riportato anche sulla confezione.

The SAVE vitreous enamelled pipes are made of sheet steel coated with vitreous enamel and baked at 830°C. The vitreous enamel coating makes this pipe better than any other pipe thanks to some of its features:

- resistance to the highest working temperatures: T600, the highest class according to EN 1856-2
- resistance to any changes in temperature
- resistance to condensate corrosion certified by the outcome of the V2 test for qualification for use with any type of solid, liquid or gas fuel.
- resistance to abrasion and chemical agents; they can be cleaned with any solvent or cleaning product
- combustion gas-tight (natural draught)
- aesthetic quality: colours do not alter with use or as a result of high temperatures

FIELD OF APPLICATION
WOOD-BURNING – COAL – GAS – GAS OIL
KEROSENE APPLIANCES AND STOVES

All the products are marked with an EAN 13 System bar code. The bar code is also printed on the packaging.

TUBI CLASSIC

PORCELLANATI in bianco e marrone

- Classic white and brown vitreous enamelled pipes
- Tubes émaillés Classic en blanc et marron
- Weiß und braun emaillierte Classic Rohre



	Ø cm.	LUNGHEZZA LENGTH - LONGUEUR - LÄNGE			Imballo Packing Emballage Verpackung
		cm. 100	cm. 50	cm. 25	
		Cod.	Cod.	Cod.	
● ●	8	(X)800	(X)801	(X)802	12
● ○	9	(X)900	(X)901	(X)902	
● ●	10	(X)1000	(X)1001	(X)1002	
● ●	11	(X)1100	(X)1101	(X)1102	
● ●	12	(X)1200	(X)1201	(X)1202	
● ●	13	(X)1300	(X)1301	(X)1302	
● ●	14	(X)1400	(X)1401	(X)1402	6
● ●	15	(X)1500	(X)1501	(X)1502	



CLASSIC

Classicos

Zincato

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

TUBI CLASSIC

PORCELLANATI in nero opaco

- Classic matt black vitreous enamelled pipes
- Tubes émaillés Classic en noir mat
- Mattschwarz emaillierte Classic Rohre



●	Ø cm.	LUNGHEZZA LENGTH - LONGUEUR - LÄNGE			Imballo Packing Emballage Verpackung
		cm. 100	cm. 50	cm. 25	
		Cod.	Cod.	Cod.	
●	10	NO1000	NO1001	NO1002	12
●	12	NO1200	NO1201	NO1202	
●	13	NO1300	NO1301	NO1302	
●	14	NO1400	NO1401	NO1402	6
●	15	NO1500	NO1501	NO1502	



CLASSIC

Classics

Zincato

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

GOMITI 90° E 45° CLASSIC

PORCELLANATI in bianco e marrone

- Classic white and brown vitreous enamelled 90° and 45° elbows
- Coudes émaillés Classic 90° et 45° en blanc et marron
- Weiß und braun emaillierte Classic 90°- und 45°-Knie



90°



45°

	●	○	Ø cm.	90°	45°	Imballo Packing Emballage Verpackung
				Cod.	Cod.	
	●	●	8	(X)803	(X)804	12
	●	○	9	(X)903	-	
	●	●	10	(X)1003	(X)1004	
	●	●	11	(X)1103	-	
	●	●	12	(X)1203	(X)1204	
	●	●	13	(X)1303	(X)1304	
	●	●	14	(X)1403	(X)1404	6
	●	●	15	(X)1503	(X)1504	

GOMITI 90° E 45° CLASSIC

PORCELLANATI in nero opaco

- Classic matt black vitreous enamelled 90° and 45° elbows
- Coudes émaillés Classic 90° et 45° en noir mat
- Mattschwarz emaillierte Classic 90°- und 45°-Knie



90°



45°

	●	Ø cm.	90°	45°	Imballo Packing Emballage Verpackung
			Cod.	Cod.	
	●	10	NO1003	NO1004	12
	●	12	NO1203	NO1204	
	●	13	NO1303	NO1304	
	●	14	NO1403	NO1404	6
	●	15	NO1503	NO1504	



LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

TUBI AD "H" CLASSIC

PORCELLANATI in bianco e marrone

- Classic white and brown vitreous enamelled H-pieces
- Tubes émaillés Classic en forme de H, en blanc et marron
- Weiß und braun emailierte H-förmige Classic Rohre



		Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
○ ●		12	(X)1208	5
□ ○		14	(X)1408	4

CLASSIC

Classics

Zincato

Flessibile
alluminio

TUBI CON FORO PER SERRANDA h 25cm CLASSIC

PORCELLANATI in bianco, marrone e nero opaco

- Classic white, brown and matt black vitreous enamelled drilled pipes for flue dampers (h= 25 cm)
- Tubes Classic ayant un trou pour le registre (h=25 cm) en blanc, marron et noir mat
- Emailierte Classic Rohre mit Öffnung für Schieber (H=25 cm) in weiß, braun und mattschwarz



		Ø cm.	Cod.	Ø cm.	Cod.	Imballo Packin Emballage Verpackung
□ □		10	(X)1006	□ 10	NO1006	12
● ●		12	(X)1206	● 12	NO1206	

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

DIFFUSORI DI CALORE A 8 CANNE CLASSIC

PORCELLANATI in bianco, marrone e nero opaco

- Classic white, brown and matt black vitreous enamelled 8-pipe heaters
- Diffuseurs de chaleur Classic à 8 carneaux émaillés en blanc, marron et noir mat
- Heizelemente mit 8 emaillierten Classic Rohren in weiß, braun und mattschwarz




			Ø cm.	Cod.		Ø cm.	Cod.	Imballo Packing Emballage Verpackung
● ●	● ●	10	(X)1007	□	10	NO1007	3	
	● ●	12	(X)1207	●	12	NO1207		

TUBI A "T" CLASSIC

PORCELLANATI in bianco e marrone

- Classic white and brown vitreous enamelled T-pieces
- Tés Classic émaillés en blanc et marron
- Weiß und braun emaillierte, T-förmige Classic Abzweige



		Ø cm.	Cod.	Imballo Packing Emballage Verpackung
● ●	● ●	12	(X)1205F	9
□ ○	○	14	(X)1405F	6
○ □	□	15	(X)1505F	

ROSONI CLASSIC

VERNICIATI in bianco, marrone e nero opaco

- Classic covers painted in white, brown and matt black
- Rosaces Classic laquées blanc, marron et noir mat
- Weiß, braun und mattschwarz lackierte Classic Rosetten

			Ø cm.	Cod.	Imballo Packing Emballage Verpackung
●	●	○	8	(X)809	10
●	○	○	9	(X)909	
●	●	●	10	(X)1009	
●	○	○	11	(X)1109	
●	●	●	12	(X)1209	
●	●	●	13	(X)1309	
●	○	●	14	(X)1409	
●	○	●	15	(X)1509	
●	○	○	16	(X)1609	
●	○	○	18	(X)1809	
●	○	○	20	(X)2009	



CLASSIC

Classics

Zincato

Flessibile
alluminio



Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

RIDUZIONI CLASSIC

VERNICIATE in bianco, marrone e nero opaco

- Classic white, brown and matt black painted reducers
- Réductions Classic laquées blanc, marron et noir mat
- Weiß, braun und mattschwarz lackierte Classic eduzierstücke

			Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
●	●	○	10F / 8M	(X)10/8	25
●	●	○	11F / 10M	(X)11/10	
●	●	○	12F / 8M	(X)12/8	
●	●	●	12F / 10M	(X)12/10	
●	●	●	13F / 10M	(X)13/10	20
●	●	●	13F / 12M	(X)13/12	
●	●	●	14F / 10M	(X)14/10	
●	●	●	14F / 12M	(X)14/12	
●	●	●	14F / 13M	(X)14/13	15
●	○	●	15F / 12M	(X)15/12	
●	○	●	15F / 13M	(X)15/13	
●	○	●	15F / 14M	(X)15/14	

●	●	○	8F / 10M	(X)8/10	25
●	●	○	8F / 12M	(X)8/12	20
●	●	□	10F / 12M	(X)10/12	




SERRANDE

ZINCATE

- Galvanised flue dampers
- Registres galvanisés
- Verzinkte Schieber

	Ø cm.	Cod.	Imballo Packing Emballage Verpackung
□	8	Z815	1
□	9	Z915	
●	10	Z1015	
□	11	Z1115	
●	12	Z1215	
●	13	Z1315	
□	16	Z1615	



CLASSIC

Classics

Zincato

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

REGGITUBO CLASSIC

VERNICIATO in bianco, marrone e nero

- Classic white, brown and black painted pipe holder
- Porte-tubes à cheville Classic laqué blanc, marron et noir
- Lackierter Classic Rohrhalter mit Dübel in weiß, braun und schwarz

			Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
<input type="checkbox"/>	<input type="checkbox"/>	●	8 / 13	(X)28/13	100
●	●	●	10 / 15	(X)210/15	
<input type="checkbox"/>	<input type="checkbox"/>	○	14 / 20	(X)214/20	50




STENDIBIANCHERIA CLASSIC

in bianco e marrone

- Classic clothes drier in white and brown
- Séchoir à linge Classic en blanc et marron
- Classic Wäschetrockner in weiß und braun

		Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
●	●	8 / 15	(X)5	24



CLASSIC

Classics

Zincato

Flessibile
alluminio

Tubi e gomiti in LAMIERA ZINCATA

**Galvanised sheet iron
pipes and elbows**

**Tubes et coudes
en tôle galvanisée**

**Rohre und Knie
aus verzinktem Blech**



ZINCATO
GALVANISED
GALVANISÉ
VERZINKT



Tutti i prodotti sono muniti di codice a barre Sistema EAN 13, il codice a barre viene riportato anche sulla confezione.

All the products are marked with an EAN 13 System bar code. The bar code is also printed on the packaging.



TUBI CLASSIC

IN LAMIERA ZINCATA

- Classic galvanised sheet iron pipes
- Tubes Classic en tôle galvanisée
- Classic Rohre aus verzinktem Blech



	Ø cm.	LUNGHEZZA cm. 100 LENGTH 100 cm. LONGUEUR 100 cm. LÄNGE 100 cm.	Imballo Packing Emballage Verpackung
		Cod.	
●	8	Z800	12
●	10	Z1000	
□	11	Z1100	
●	12	Z1200	
●	13	Z1300	6
●	14	Z1400	
●	15	Z1500	
●	16	Z1600	
●	18	Z1800	4
●	20	Z2000	
□	22	Z2200	1
□	25	Z2500	

CLASSIC

Classics

Zincato

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

GOMITI 90° CLASSIC

IN LAMIERA ZINCATA

- Classic galvanised sheet iron 90° elbows
- Coudes Classic 90° en tôle galvanisée
- Classic 90°-Knie aus verzinktem Blech

	Ø cm.	90°	Imballo Packing Emballage Verpackung
		Cod.	
●	8	Z803	12
●	10	Z1003	
●	12	Z1203	
●	13	Z1303	
●	14	Z1403	6
●	15	Z1503	
●	16	Z1603	8
●	18	Z1803	
●	20	Z2003	
□	22	Z2203	4



CLASSIC

Classics

Zincato

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

TUBI AD "H" CLASSIC

ZINCATI

- Classic galvanised H-pieces
- Tubes Classic galvanisés en forme de H
- Verzinkte Classic H-Stücke



	Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
●	12	Z1208	6

FUMAIOLI CLASSIC

ZINCATI

- Classic galvanised smoke stacks
- Cheminées Classic galvanisées
- Verzinkte Classic Schornsteine



	Ø cm.	Cod.	Imballo Packing - Emballage Verpackung
●	8	Z812	18
●	10	Z1012	14
●	12	Z1212	
●	13	Z1312	13
●	14	Z1412	12
●	15	Z1512	11
●	16	Z1612	6
●	18	Z1812	
●	20	Z2012	



LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

Tubi flessibili in alluminio

in alluminio naturale o colorati bianchi e marrone


Aluminium flexible pipes in natural aluminium or white and brown painted aluminium

Tubes flexibles en aluminium avec bouche en aluminium naturel et laqué blanc et marron

Classic Aluminium-Flexrohre mit Abschrägung in Aluminium natur, weiß und braun gefärbtem Aluminium



BIANCO
WHITE
BLANC
WEISS



MARRONE
BROWN
MARRON
BRAUN



ALLUMINIO NATURALE
NATURAL ALUMINIUM
ALUMINIUM NATUREL
ALUMINIUM NATUR



E' un tubo di grande praticità e facilità d'installazione, elimina i gomiti e si adatta alle varie lunghezze che l'installazione richiede: un pezzo di 85 cm si può allungare fino a 3 metri!

CAMPO DI APPLICAZIONE CONDOTTE D'ARIA - ASPIRAZIONI - CAPPE

TEMPERATURA MASSIMA di esercizio: 300°C per il tubo in alluminio naturale, 200°C per il tubo in alluminio colorato (in questo caso è la vernice che si deteriora).

Il tubo flessibile in alluminio non si può usare su stufe a legna e carbone perchè i loro fumi normalmente raggiungono temperature superiori ai 300°C.

Tutti i prodotti sono muniti di codice a barre Sistema EAN 13, il codice a barre viene riportato anche sulla confezione.

This pipe is extremely practical to use and easy to install. It eliminates the need for elbows and adapts to a variety of lengths to suit specific installation requirements: an 85 cm piece can extend up to 3 metres!

FIELD OF APPLICATION AIR DUCTS – SUCTION SYSTEMS - HOODS

MAXIMUM OPERATING TEMPERATURE: 300°C for the natural aluminium pipe, 200°C for the painted aluminium pipe (in this case it is the paint that deteriorates). The flexible aluminium pipe cannot be used on wood-burning and coal stoves as the temperature of the smoke produced normally exceeds 300°C.

All the products are marked with an EAN 13 System bar code. The bar code is also printed on the packaging.

TUBI FLESSIBILI ALLUMINIO CLASSIC CON INVITO

in alluminio naturale e alluminio colorato bianco e marrone

- Classic flexible aluminium pipes with inlet in natural aluminium and white or brown painted aluminium
- Tubes flexibles en aluminium Classic avec bouche, en aluminium naturel et aluminium laqué blanc et marron
- Classic Aluminium-Flexrohre mit Abschrägung in Aluminium natur und weiß und braun gefärbtem Aluminium



Ø cm.	ALLUMINIO NATURALE SP. 0,12 mm Natural aluminium THK. 0.12 mm Aluminium naturel EP.=0,12 mm Aluminium natur, Stärke 0,12 mm		VERNICIATO BIANCO-MARRONE SP. 0,12 mm White or brown painted THK. 0.12 mm Laqué blanc-marron EP.=0,12 mm Weiß oder braun lackiert, Stärke 0,12 mm		Imballo Packing Emballage Verpackung
		Cod.		Cod.	
8	●	FN824	● ○	F(X)824	6
9	●	FN924	● ○	F(X)924	
10	●	FN1024	● □	F(X)1024	
11	●	FN1124	● ○	F(X)1124	
12	●	FN1224	● □	F(X)1224	
13	●	FN1324	● ○	F(X)1324	
14	●	FN1424	● ○	F(X)1424	4
15	●	FN1524	● ○	F(X)1524	
16	●	FN1624	○ ○	-	
18	●	FN1824	○ ○	-	1
20	●	FN2024	○ ○	-	
22	●	FN2224	○ ○	-	1
25	●	FN2524	○ ○	-	
30	●	FN3024	○ ○	-	



I prezzi si intendono al pezzo di cm. 85 allungabile fino a cm. 300.

ALLUMINIO NATURALE: Temperatura max. 300° - ALLUMINIO VERNICIATO: Temperatura max. 200°

- Prices are per 85 cm piece extendable to 300 cm.
NATURAL ALUMINIUM: Max. operating temperature 300°C. - PAINTED ALUMINIUM: Max. operating temperature 200°C.
- Les prix s'entendent par pièce de 85 cm extensible jusqu'à 300 cm.
ALUMINIUM NATUREL: Température max. d'emploi 300°C. - ALUMINIUM LAQUÉ: Température max. d'emploi 200°C.
- Die Preise verstehen sich je Stück von 85 cm, verlängerbar bis 300 cm.
ALUMINIUM NATUR: Maximale Betriebstemperatur 300°C. - LACKIERTES ALUMINIUM: Maximale Betriebstemperatur 200°C.



LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap

TUBI FLESSIBILI ALLUMINIO CLASSIC IN ROTOLO DA 10 METRI

- Classic aluminium flexible pipes in rolls (10 meters)
- Tubes flexibles en aluminium Classic en rouleau (10 mètres)
- Classic Aluminium-Flexrohre in 10-m-Rollen



	Ø cm.	ALLUMINIO NATURALE SP. 0,12 mm Natural aluminium THK. 0.12 mm Aluminium naturel EP.=0,12 mm Aluminium Natur, Stärke 0,12 mm	Imballo Packing - Emballage Verpackung
		Cod.	
●	2,5	FN224	1
●	4	FN424	
●	5	FN524	
●	6	FN624	
<ul style="list-style-type: none"> • Prezzi al rotolo di 10 metri • Prix au rouleau de 10 mètres • Prices per 10 metre-roll • Preise pro 10-m-Rolle 			

CLASSIC

Classics

Zincato

RACCORDI M/M CLASSIC PER TUBI FLESSIBILI ALLUMINIO ZINCATI

- Classic galvanised M/M fittings for aluminium flexible pipes
- Raccords mâle-mâle Classic galvanisés pour tubes flexibles en aluminium
- Verzinkte Classic Anschlussstücke Außengewinde/Außengewinde für Aluminium-Flexrohre



	Ø cm.	Cod.	Imballo Packin Emballage Verpackung
●	8	Z817M	6
●	10	Z1017M	
●	12	Z1217M	
□	13	Z1317M	
□	14	Z1417M	
□	15	Z1517M	
□	16	Z1617M	1
□	18	Z1817M	
□	20	Z2017M	
□	22	Z2217M	
□	25	Z2517M	
□	30	Z3017M	

Flessibile
alluminio

Cod.
(X)

LEGENDA COLORI: vedere anta interno copertina - COLORS KEY: see inside cover flap